

YOUR FEET

by Honeywell

**PRODUCT CATALOGUE** 



## FOUTINEAR FEATURES

## **SOLE FEATURES**



#### **Electrical Resistant**

Electrical Hazard (EH) Protection reduces the danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18



#### Antistatic

Minimises the build up of electrostatic charges and provides protection against the risk of spark ignition for such hazards as flammable materials and gases.



#### **HYDROstop®**

Offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.

0



#### Heat resistant sole (266° F)







Sole resistant

to organic oils

**Cut resistant** 

and fats

sole



Sole resistant to mineral oils and acids

## SPECIAL FEATURES



#### **Metatarsal Protection**

Provides increased protection against the risk of impact and crush injuries. Metatarsal guards coupled with safety toe caps offer complete fore foot protection.



#### **Sole Penetration Protection**

Offers the reduced risk of sharp objects penetrating the sole and entering the foot.



#### SAFETYcell® Protection

Fully integrated protective shell offers enhanced abrasion and cut resistance from harsh working conditions.



leather



footwear





**Toe Bumpe** 



**Hi-Vis Reflective Safety Trim** 





#### **COMFORT***cushion*<sup>®</sup> Impact Absorption Provides superior cushioning and shock

absorption helping to reduce foot, leg and back fatigue.






#### NANOlite® Footbed

Massages feet as you walk, offering ultimate comfort and enhancing blood flow to reduce fatigue.





Offers a wide profile shape for greater comfort and ensuring toes are not in contact with the toe cap.





#### Antimicrobial Technology

Revolutionary anti-bacterial solution provides protection against odour, staining and deterioration caused by bacteria, fungus and other micro-organisms.



#### SOFTstride® Contour Comfort Support

Low density urethane foam contours to the individual foot shape to provide ultimate comfort and support.

## **TOE CAP FEATURES**



#### **Steel Safety Toe Cap**

Type 1 Steel toe cap offers protection against drop and crush injuries. Developed to withstand a force of 200 joules.



#### **Composite Safety Toe Cap**

Non-Metallic Type 1 toe cap protection against drop and crush injuries. Lightweight and airport friendly. Developed to withstand a force of 200 joules.



## **SLIP RESISTANCE**



The following abbreviations provide information about slip resistance ratings:



#### Slip resistance tested on ceramic tile floor with sodium lauryl sulphate (SLS) solution.

Slip resistance tested on steel floor with glycerol. Slip resistance tested on both ceramic tile floor with SLS solution and steel floor with glycerol.









## CONTENTS



	Accessories Index	25 26
GB	66 Series Fire & Emergency Services Footwear	24
ALCO I	66 Series Smelter Footwear	23
PB's	38 Series Dual Density PU Executive Footwear	22
COLLEGE CARCEL	49 Series Dual Density PU / Rubber Ladies Footwear	20
ST's	44 Series Dual Density PU / TPU Footwear	19
	22 Series PVC Safety Gumboot	18
WE's	26 Series Dual Density PU Non Safety Footwear	16
	34 Series Dual Density PU Footwear	10
	65 Series Waterproof Mining/Caustic Resistant Footwear	9
	PU/Rubber Footwear	8
AT's	<b>55 Metatarsal Series</b> Penetration Resistant Dual Density	
OLIVER	<b>55 Series</b> Dual Density PU / Rubber Footwear	
	45 Series Dual Density PU / TPU Footwear	4



Facebook.com/oliversafetyfootwear
C @oliverfootwear

## DUAL DENSITY PU / TPU FOOTWEAR





COMPLIES WITH AS/NZS 2210.3:2009

EN ISO 20345:2011 ASTM F2413-18

> Long wearing TPU outsole designed to self clear rocks and debris from tread. Excellent abrasion resistance

> > Latex toe cap liner for added comfort Protection strip



composite toe cap

<sup>1</sup> PORON® 2013 Rogers Corporation. All Rights Reserved <sup>2</sup> © Devan Chemicals NV 2015 Absorption System uses a combination of cellular urethane and PORON<sup>1</sup>

**COMFORT**cushion<sup>®</sup> Impact

Oliver Comfort Footbed enhances natural air flow; infused with Odorban™ Control Technology.

Oliver SOFT*stride®* open cell low density urethane foam for comfort and contour support Odorban<sup>2</sup> Control Technology to absorb odour for optimum freshness and hygiene

**Full lining infused** 

with eco friendly

Water resistant leather

Bevelled heel for excellent slip resistance

Stabilising and support shank

Shock absorbing Polyurethane midsole












#### Odorban<sup>™</sup> Control Technology

The Oliver Comfort System footbed now includes Odorban™ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



#### COMFORT*cushion*® Impact Absorption System

**COMFORT***cushion*<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg, and lower back fatigue.



#### Oliver SOFTstride® Comfort System

Oliver **SOFTstride**<sup>®</sup> Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**<sup>®</sup> gives added reassurance to help you get through those long hours on your feet.



#### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.







### 45-632Z **150MM WHEAT ZIP SIDED BOOT**

- · Water resistant nubuck leather
- Full lining and comfort footbed infused with

EXTRA FEATURES:

TOE BUMPER

- Odorban<sup>™</sup> Control Technology
- Fully non-metallic

Convenient side zip

Sizes: 5 - 14, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



## 45-645Z **150MM BLACK ZIP SIDED BOOT**

- · Water resistant full grain leather
- · Full lining and comfort footbed infused with Odorban<sup>™</sup> Control Technology
- · Fully non-metallic

EXTRA FEATURES:

- Convenient side zip
- Sizes: 5 14, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>



## 45-637 **150MM BROWN LACE UP BOOT**

- · Water resistant pull up leather
  - Full lining and comfort footbed infused with Odorban™ Control Technology
  - Fully non-metallic
  - Sizes: 5 14, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>



### 45-632 **150MM WHEAT LACE UP BOOT**

- Water resistant nubuck leather
- · Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic


Sizes: 5 - 14, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



## **150MM BLACK LACE UP BOOT**

- · Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>





## 45-627 **BROWN ELASTIC SIDED BOOT**

· Water resistant pull up leather

All AT45 styles are

airport friendly

- Comfort footbed infused with Odorban™ Control Technology
- · Fully non-metallic
- Sizes: 5 14, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>



SOLING

TECHNOLOGY

Lightweight, shock absorbing

low density PU (Polyurethane)

and lower back fatigue.

midsole which cushions the foot

on impact to provide unmatched

AT's All Terrain TPU Soling Technology

Try a pair of correctly fitted Oliver AT45 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †



Abrasion

High density hard-wearing TPU

and abrasion resistance.



Slip Resistant Sole resistant to mineral oils sole and acids

• Electrical Hazard (EH) Protection.

**Electrical Hazard** Sole resistant to organic oils and fats



Resistant

#### • Superior resistance to abrasion, splitting and cracking.

MAN SAMO

- · Superior slip resistance, rated SRB.
- Will not mark floors.

comfort and help reduce foot, leg Heat resistant outsole to temperatures of 130° Celsius.

**Heat Resistant** 

sole (266° F)

- (Thermo Plastic Urethane) Reduces danger of accidental outsole provides superior grip contact with live electrical circuits in accordance with ASTM F2413-18. · Resistant to most oils, acids

and chemicals.



to set off airport

tal detect



## OUAL DENSITY PU / RUBBER FOOTWEAR







#### NANOlite® Technology

The Oliver Comfort System now has a unique **NANO***lite*® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



#### COMFORT*cushion*® Impact Absorption System

Oliver's unique **COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



#### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



SOFTstride

Support

ntour Comfort

HEELevan

#### Oliver SOFTstride® Comfort System

Oliver **SOFTstride**<sup>®</sup> Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**<sup>®</sup> gives added reassurance to help you get through those long hours on your feet.



Oliver COOLstep<sup>®</sup> lining to absorb moisture and odour for optimum freshness and hygiene.

Lace locking fixture

Water resistant leather

HEELguard for stability and impact protection

NANO/ite® footbed for enhanced comfort and reduced odour

Bevelled heel for excellent slip resistance

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON®









### 55-320 Black elastic sided boot

- Water resistant full grain leather
- Premium COOLstep<sup>®</sup> lining for
- 🔄 optimum freshness
- NANOlite® footbed for greater comfort Sizes: 4 14,  $6\frac{1}{2}$   $12\frac{1}{2}$



## **55-322** WHEAT ELASTIC SIDED BOOT

- Water resistant nubuck leather
- Premium **COOLstep**<sup>®</sup> lining for optimum freshness
- NANOlite<sup>®</sup> footbed for greater comfort Sizes: 4 – 14, 6½ – 12½



## **55-332** 150MM WHEAT LACE UP BOOT

- Water resistant nubuck leather
- Premium COOLstep® lining for optimum freshness
- NANOlite<sup>®</sup> footbed for greater comfort Sizes:  $4 14, 6\frac{1}{2} 12\frac{1}{2}$



## 55-332Z 150MM WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
- Premium COOLstep<sup>®</sup> lining for optimum freshness
- NANOlite® footbed for greater comfort
- Convenient quick release zipper
- Sizes: 4 16, 6½ 12½ ▶ NEW EXTENDED SIZE



## 55-337 150MM BROWN LACE UP BOOT

- Water resistant pull up leather
   Premium COOLstep<sup>®</sup> lining for
   optimum freshness
- NANOlite  $^{\odot}$  footbed for greater comfort Sizes: 4 14,  $6\frac{1}{2}$   $12\frac{1}{2}$



## 55-345 150MM BLACK LACE UP BOOT

- Water resistant full grain leather
  Premium **COOLstep**<sup>®</sup> lining for
- optimum freshness • NANOlite® footbed for greater comfort Circo: 4 14 61(-101)
- **Sizes:** 4 14, 6½ 12½



## **55-345Z** 150MM BLACK ZIP SIDED BOOT

- Water resistant full grain leather
   Premium **COOLstep**<sup>®</sup> lining for
- optimum freshness

   NANOlite<sup>®</sup> footbed for greater comfort

• Convenient quick release zipper Sizes: 4 - 16, 6½ - 12½ ▶ NEW EXTENDED SIZ



## 55-385 200MM HI-LEG WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
  Premium **COOL**step<sup>®</sup> lining for
- optimum freshness
   NANOlite® footbed for greater comfort
- Convenient quick release zipper
- **Sizes:** 4 14, 6½ 12½



Try a pair of correctly fitted Oliver AT55 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †



#### AT's All Terrain Dual Density PU/Rubber Soling technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- All Terrain nitrile rubber outsole with new deeper tread profile and self-cleaning design for superior grip and durability.
   Heat resistant outsole to
- Heat resistant outsole to temperatures of 300° Celsius.

- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
  - Excellent slip resistance, rated SRC.



## PENETRATION RESISTANT **MASAL DUAL DENSITY** PU/RUBBER FOOTWEA







#### COMPLIES WITH

AS/NZS 2210.3:2009 EN ISO 20345:2011 ASTM F2413-18



#### Oliver SOFTstride® Comfort System works to soften and absorb

the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver SOFTstride® gives added reassurance to help you get through those long hours on your feet.



Oliver COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene.



## 55-346 150MM BLACK LACE UP BOOT

- Water resistant full grain leather
- Premium COOLstep® lining for optimum freshness
   NANOlite® footbed for greater comfort
- PORON<sup>®</sup> XRD<sup>™</sup> Metatarsal Guard
- Q-flex® non-metallic penetration protection insole

Sizes: 4 - 14, 6<sup>1</sup>/<sub>2</sub> - 12<sup>1</sup>/<sub>2</sub>

## 55-336 150MM WHEAT LACE UP BOOT

- · Water resistant nubuck leather
- Premium COOLstep® lining for optimum freshness
   NANO/ite® footbed for greater comfort
- PORON<sup>®</sup> XRD<sup>™</sup> Metatarsal Guard
- · Q-Flex® non-metallic penetration protection insole Sizes: 4 - 14, 6½ - 12½



## PORON® XRD™ Metatarsal Guard - Extreme Impact Protection.

PORON® XRD<sup>™</sup> is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the PORON<sup>®</sup> XRD<sup>™</sup> high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force\* - hit after hit. \*as measured according to ASTM-F1614-C PORON® and XRD<sup>M</sup> are licensed trademarks of Rogers Corporation



METATARSAL RANGE

EXTRA FEATURES: 000

PORON<sup>®</sup> XRD<sup>™</sup> REVOLUTIONARY METATARSAL PROTECTION





#### NANOlite® Technology

The Oliver Comfort System now has a unique NANOlite® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control laver enhances air circulation, reducing odour.



#### **COMFORT**cushion® Impact Absorption System

Oliver's unique COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



#### **NATURE**form® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



## COMFORT GUARANTEE †

+ Must produce dated receipt and guarantee tag

#### AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing nitrile rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

#### AT's Rubber soling technology offers:

- · Heat resistant outsole to temperatures of 300° Celsius. • Electrical Hazard (EH) Protection. Reduces danger of accidental
- contact with live electrical circuits in accordance with ASTM F2413-18
  - Resistant to mineral oils, acids, alkalies, animal fats and oils.
- · Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



## WATERPROOF MINING/CAUSTIC RESISTANY FOOTWEAR



COMPLIES WITH AS/NZS 2210.3:2009 EN ISO 20345:2011 ASTM F2413-18





#### NANOlite® Technology

Improved **NANO***lite*<sup>®</sup> footbed features moisture wicking characteristics and improved softer materials which provide additional cushioning and comfort. Increased perforations enable better breathability and the 3-layer structure promotes lower leg circulation reducing worker fatigue.



## NATUREform® Type 1 Toe Cap

Oliver **NATUREform**<sup>®</sup> toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**<sup>®</sup> caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



#### COMFORTcushion<sup>®</sup> Impact Absorption System

Oliver's unique **COMFORT***cushion*® uses a combination of cellular urethane and **PORON**® performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



#### PORON<sup>®</sup> XRD<sup>™</sup> Metatarsal Guard

**PORON® XRD** is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the **PORON® XRD** high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force\* - hit after hit.

\*as measured according to ASTM-F1614-C



#### AT's All Terrain Dual Density PU/Rubber Soling technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- All Terrain nitrile rubber outsole with new deeper tread profile and self-cleaning design for superior grip and durability.
   Heat resistant outsole to
- temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

## DUAL DENSITY PU FOOTWEAR







#### COMFORTcushion® Impact Absorption System

**COMFORT***cushion*<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.



#### Odorban<sup>™</sup> Control Technology

The Oliver Comfort System footbed now includes **Odorban™** Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



#### NATUREform® Type 1 Toe Cap

Oliver **NATUREform**<sup>®</sup> toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**<sup>®</sup> caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.







## 34-660

#### **BLACK ZIP SIDED ANKLE BOOT**

- · Water resistant full grain leather · Full lining and comfort footbed infused with Odorban™ Control Technology
- Convenient side zip
- · Toe bumper to protect against scuffing
- Sizes: 4 13, 6½ 10½
- EXTRA FEATURES: TOE BUMPER M



Convenient side zip

Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>

#### WHEAT ZIP SIDED ANKLE BOOT · Water resistant nubuck leather

· Full lining and comfort footbed infused with Odorban™ Control Technology

· Toe bumper to protect against scuffing





Q-flex® midsole available with style 34-662P

### 34-634 **BLACK LACE UP ANKLE BOOT**

- · Water resistant full grain leather
- Full lining and comfort footbed infused with
- Odorban<sup>™</sup> Control Technology Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>

#### ALSO AVAILABLE:

30



SOLING

TECHNOLOGY



### 34-632 WHEAT LACE UP ANKLE BOOT

- · Water resistant nubuck leather
- · Full lining and comfort footbed infused with Odorban<sup>™</sup> Control Technology
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>

#### ALSO AVAILABLE:




130°C

Heat Resistant

sole (266° F)

HYDROstop<sup>•</sup> PROTECTION

HYDROstop® offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.



**Cut Resistant Slip Resistant** sole

sole

Sole resistant to Sole resistant to mineral oils



#### **GRIPthane® Dual Density Polyurethane sole**

HYDROston

3 year guarantee

against hydrolysis

- · Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- · Hard wearing PU outsole is designed for superior grip and

Abrasion

**Resistant sole** 

durability · Heat resistant outsole to temperatures of 130° Celsius

- Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTMF2413-18
- · Resistant to mineral and organic oils and acids
- · Superior resistance to abrasion and cutting
- · Excellent slip resistance, rated SRC

- EXTRA FEATURES: **190MM HIGH LEG BEIGE ZIP SIDED BOOT** · Water resistant suede leather
- · Full lining and comfort footbed infused with
- **Odorban™** Control Technology
- · Convenient side zip
- Toe bumper to protect against scuffing
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>

### ALSO AVAILABLE:

and acids

34-674



ailable with style

'n







## 34-692

#### **250MM BROWN PULL ON RIGGERS BOOT**

- Water resistant pull up leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

• Toe bumper to protect against scuffing Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



## 34-626 **CLARET ELASTIC SIDED BOOT**

- Water resistant full grain leather
- Comfort footbed infused with Odorban<sup>™</sup> **Control Technology**
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>



**Q-flex®** midsole available with style 34-626P

## 34-620 **BLACK ELASTIC SIDED BOOT**

· Water resistant full grain leather Comfort footbed infused with Odorban<sup>™</sup> Control Technology Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



- · Water resistant suede leather · Comfort footbed infused with Odorban<sup>™</sup> Control Technology
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>

D

Steel Safety

Toe Cap





go A Water Resistan



leather





**HYDROstop®** offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.



## 34-623

HYDRO

SIO

#### **BLACK LACE UP ANKLE JOGGER**

- Water resistant suede leather
- Full lining and comfort footbed infused with Odorban™ Control Technology
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>

## 34-613

#### **BLACK LACE UP JOGGER**

- Water resistant suede leather
- Full lining and comfort footbed infused with Odorban<sup>™</sup> Control Technology
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>



## **34-652** Black lace up derby shoe

- Water resistant smooth full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



### **34-615** Wheat slip on sports shoe

#### WILLAT SEIT ON STORTS SHOE

- Water resistant nubuck leather with EXPANDflex<sup>®</sup> for easy donning and doffing
- Full lining and comfort footbed infused with Odorban<sup>™</sup> Control Technology
- Sizes: 4 13, 6½ 10½



## **34-610** Black slip on sports shoe

- Water resistant nubuck leather with
- **EXPAND***flex*<sup>®</sup> for easy donning and doffing • Full lining and comfort footbed infused with
- Odorban<sup>™</sup> Control Technology Sizes: 4 – 13, 6½ – 10½











and acids

sole





le resistant to Electric organic oils Res and fats



## A PROUD TRADITION - FOUNDED 1887

Oliver Footwear, Australia's leading Safety Footwear Manufacturer owes its origins to gold mining in the Victorian provincial city of Ballarat.

Our founder James Oliver, a boot-maker by trade, came to the goldfields of Ballarat, then amongst the richest alluvial and underground mining fields in the world, in the mid 1800's. His quest for the elusive nuggets was unsuccessful, so he returned to the trade of boot-making which he had learned in the U.K.

Established as the business of Oliver & Stevens, the new venture commenced producing tough and durable boots for miners and farmers in 1887.

The same entrepreneurial streak which marked the establishment of the business in 1887 continues today with Oliver Footwear building on its commitment to footwear product design in Ballarat, Australia.

Product research and development to address the needs and demands of tough workplace safety environments will always be a central part of our company philosophy.



1938 - Jack Oliver's 60 Bridge Street Store. This photograph was taken during Ballarat's centenary celebrations.



# LOVE YOUR FEET MUELE,



Ongoing investment in manufacturing technology, business systems and people ensures that Oliver continues to adopt world's best practice in all parts of the business. Oliver is now part of Honeywell Industrial Safety which offers pot

Oliver is now part of Honeywell Industrial Safety which offers not just the world's most comprehensive lines of Personal Protective Solutions but the most respected brands that make workers embrace safety on their own.









#### **COMFORT**cushion<sup>®</sup> Impact Absorption System

**COMFORT***cushion*<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> to protect the heel and ball of the foot by providing superior cushioning and shock absorption, reducing foot, leg, and lower back fatigue.



#### Odorban<sup>™</sup> Control Technology

The Oliver Comfort System footbed now includes **Odorban™** Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.





## 26-660 **140MM BLACK ZIP SIDED BOOT**

- · Water resistant full grain leather
- · Full lining and comfort footbed infused with Odorban<sup>™</sup> Control Technology
- · Convenient side zip
- Sizes: 4 13, 6<sup>1</sup>/<sub>2</sub> 10<sup>1</sup>/<sub>2</sub>



### 26-620 **BLACK ELASTIC SIDED BOOT**

- · Water resistant full grain leather
- Comfort foot bed infused with Odorban<sup>™</sup> Control Technology

Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



## 26-626 **CLARET ELASTIC SIDED BOOT**

- · Water resistant full grain leather
- Comfort foot bed infused with Odorban™ **Control Technology**

Abrasion

**Resistant sole** 

Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



## 26-636 **CLARET LACE UP BOOT**

- Water resistant full grain leather
- Full lining and comfort footbed infused with Odorban<sup>™</sup> Control Technology

Ne

Sole resistant to

organic oils

and fats

Sizes: 4 - 13, 6<sup>1</sup>/<sub>2</sub> - 10<sup>1</sup>/<sub>2</sub>



HYDROstop® offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.

**Cut Resistant** 

sole



- · Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- · Hard wearing PU outsole is designed for superior grip and durability

130°C

Heat Resistant

sole (266° F)

 Heat resistant outsole to temperatures of 130° Celsius

• Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTMF2413-18

**Slip Resistant** 

sole

Sole resistant to

mineral oils

and acids

- · Resistant to mineral and organic oils and acids
- · Superior resistance to abrasion and cutting

**Electrical Hazard** 

Resistant

 Excellent slip resistance, rated SRC











#### 22 Series PVC / Nitrile Soling Technology

The WB 22 series sole consists of a hard wearing heavy duty PVC / Nitrile sole that offers extra deep tread for greater stability and grip on uneven and loose surfaces.

WB's 22 Series PVC / Nitrile soling technology offers:

- Heat resistant to temperatures of 130° Celsius.
- Excellent slip resistance, rated SRC. .
- Resistant to solvents, mild acids, alkalis, some . chemicals, oils and fats.

NANO/it

- Will not mark floors.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18.





#### NANOlite® Technology

The Oliver Comfort System now has a unique NANOlite® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



0000000

**COMFORT**cushio.

d'i l'

NATURE

wide profile Type 1 safety toe cap

Д Steel Safety

Toe Can

22-205

· Kick off spur

Sizes: 5-13

• Two trim heights

**GREY SAFETY GUMBOOT**  Waterproof PVC gumboot • STEELflex® steel midsole penetration protection

• METprotect® Metatarsal protection

#### NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



Waterproof

footy

Hi-Vis Refle

Safety Trim

#### **METprotect® Metatarsal Protection**

Oliver patented METprotect® metatarsal protection offers revolutionary inbuilt design technology to protect the impact strike zone. The enhanced design offers comfort and flexibility not afforded by traditional metatarsal protection materials.



Metatarsa

protection

#### STEELflex® Protection System.

Steel midsole protection reduces the risk of sharp objects penetrating the sole and entering the foot. A thin protective shield is inserted in the midsole providing safety while retaining comfort and flexibility of the sole. Meets requirements of Australian and New Zealand Standard AS/NZS 2210.3



#### COMFORTcushion® Impact Absorption System

Oliver's unique **COMFORT**cushion<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

#### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.

#### ST's TPU Soling Technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- High density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.
- Heat resistant outsole to temperatures of 130° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.Superior resistance to abrasion,
- splitting and cracking.
- Excellent slip resistance, rated SRC.
- Will not mark floors.

## LADIES DUAL DENSITY PU/RUBBER FOOTWEAR







#### COMFORTcushion<sup>®</sup> Impact Absorption System

**COMFORT***cushion*<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.

<sup>1</sup> © Devan Chemicals NV 2015



#### Odorban™ Control Technology

The Oliver Comfort System footbed now includes **Odorban**<sup>1</sup> Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



#### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



#### Oliver SOFTstride® Comfort System

Oliver **SOFTstride**<sup>®</sup> Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**<sup>®</sup> gives added reassurance to help you get through those long hours on your feet.





**COMPLIES** 

WITH

AS/NZS 2210.3:2009

Tread pattern designed for excellent slip resistance

Hard wearing PU outsole for superior grip and durability. Anti static.

NATUREform® Type 1 Toe Cap. Wider profile for greater comfort

**Premium soft** 

touch leather

EN ISO 20345:2011 ASTM F2413-18

## DUAL DENSITY PU EXECUTIVE FOOTWEAR



COMFORT*cushion*<sup>®</sup> Impact Absorption System uses a combination of cellular urethane and PORON<sup>1</sup>

Shock absorbing

**Polyurethane midsole** 



Oliver Comfort Footbed enhances natural air flow; infused with Odorban<sup>2</sup> Control Technology.

Oliver SOFTstride® open cell low density urethane foam for comfort and contour support

<sup>1</sup> PORON© 2013 Rogers Corporation. All Rights Reserved <sup>2</sup> © Devan Chemicals NV 2015



**Protection strip** 

**38-275** BLACK LACE UP DERBY SHOE • Water resistant soft touch leather

Premium leather lining
Sizes: 6-13, 6 ½ - 10 ½



**38-265** BLACK ZIP SIDE BOOT

Latex toe cap liner

for added comfort

Water resistant soft touch leather
Premium leather lining
Sizes: 6- 13, 6 <sup>1</sup>/<sub>2</sub> - 10 <sup>1</sup>/<sub>2</sub>



**38-250 BLACK ELASTIC SIDED BOOT** • Water resistant soft touch leather • Premium leather lining

Sizes: 6- 13, 6 ½ - 10 ½



#### NATUREform® Type 1 Toe Cap

Oliver **NATUREform**<sup>®</sup> toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**<sup>®</sup> caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3

#### Oliver SOFTstride® Comfort System

Oliver **SOFTstride**<sup>®</sup> Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**<sup>®</sup> gives added reassurance to help you get through those long hours on your feet.

#### 38 Series PB's Dual Density PU (Polyurethane) sole features:

- Heat resistant outsole to temperatures of 130° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.
- Resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

## STEEL/SMELTER/ CASTING INDUSTRY FOOTWEAR







#### COMFORT*cushion*<sup>®</sup> Impact Absorption System

**COMFORT***cushion*<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

### NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

#### 66 Series HS Dual Density Soling Technology

The 66 Series HS features a Heavy-Duty Nitrile Rubber Soling System with an integrated comfort layer of urethane which cushions the foot on impact. This improvement has led to a 15% reduction in product weight, which provides greater flexibility for workers, reduced worker fatigue and downtime, plus increased productivity.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection.
   Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18.
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# FIRE S EMERGENCY SERVICES FOOTWEAR

COMPLIES TO

AS/NZS 4821:2014

Firefighting Footwear

• Heavy duty Nomex<sup>®</sup> stitching

Sizes: 2-17, 21/2 - 161/2

METATARSA PROTECTION

20

Qflex® non-metallic midsole protection

• PORON<sup>®</sup> XRD<sup>™</sup> flexible metatarsal protection

EN 15090:2012 Type 2 Structural





- Water resistant and flame
- retardant leather SYMPATEX® breathable
- waterproof liner and membrane
- PORON® XRD™ Extreme ankle protection
- Qflex® non-metallic midsole
- penetration protection • TECtuff® toe bumper protection
- · Heavy duty red Nomex® stitching and flame proof laces
- · Lace in quick release zipper attachment

Sizes: 2-17.2<sup>1</sup>/<sub>2</sub> - 16<sup>1</sup>/<sub>2</sub>



#### COMPLIES TO AS/NZS 4821:2014 Type 1 Wildland Fire

**Fighting Footwear** 

**OPTIONAL LACE IN QUICK RELEASE ZIPPER ATTACHMENT** ZIP460 (FOR 66-460)

## 66-460

### **180MM WILDLAND FIREFIGHTERS BOOT**

- Water resistant and flame retardant leather
- TECtuff® toe bumper protection Sizes: 3-15, 3<sup>1</sup>/<sub>2</sub> 15<sup>1</sup>/<sub>2</sub>
- Heavy duty red Nomex<sup>®</sup> stitching and flame proof laces



#### **COMFORT**cushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption ... reducing foot, leg and lower back fatigue.

#### **NATURE**form® Type 1 Toe Cap

66-496 300MM PULL ON STRUCTURAL FIREFIGHTER BOOT

WATERPROOF FOOTWEAR

· Water resistant and flame retardant leather

• SYMPATEX® breathable waterproof liner

• TECtuff® toe bumper protection

and membrane

EXTR/

FEATURES

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**<sup>®</sup> caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

#### **Non Metallic Composite Toe Cap Technology**

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.

#### 66 Series HS Dual Density Soling Technology

The 66 Series HS features a Heavy-Duty Nitrile Rubber Soling System with an integrated comfort layer of urethane which cushions the foot on impact. This improvement has led to a 15% reduction in product weight, which provides greater flexibility for workers, reduced worker fatigue and downtime, plus increased productivity.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18
- · Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.







#### INSOL-N NANOLITE FOOTBED NANOlite Impact Absorption System insole with PORON.

Sizes: 4-14





## ZIP495

#### **ZIP791** Optional zip for

style 65-791

26cm - sizes 4-7

28cm - sizes 8-10

**30cm** - sizes 11-16

Replacement zip for style 66-495 **18cm** - sizes 2-6 **19cm** - sizes 7-10 **20cm** - sizes 11-17





Optional zip for style 66-460 **15cm** - sizes 3-6 **16cm** - sizes 7-10 **17cm** - sizes 11-15

REPLACEMENT LACES							
LACE CODE	LACE CODE REPLACEMENT FOR:		COLOUR				
L- BL105	<b>3L105</b> 34-652, 44-500		BLACK				
L- BL125	- BL125 26-660, 34-660		BLACK				
L-BU090	- <b>BU090</b> 49-414		BLUE				
L- BU145	<b>BU145</b> 44-535		BLUE				
L- EX080	EX080 38-275		BLACK - EXEC				
L- FP160	FP160 66-360 & 66-395		FIREPROOF / BLACK				
L-GB125	-GB125 26-636, 34-613, 34-634, 44-515, 49-445Z		GREY / BLACK				
L-GB155	<b>45-637, 45-645, 45-645Z, 55-337, 55-345, 55-345Z, 55-346, 65-390</b>		GREY / BLACK				
L-GB175	34-623	175 cm	GREY / BLACK				
L-GB250	GB250 65-691		GREY / BLACK				
L-G0085	<b>G0085</b> 55-385		GOLD / BROWN				
L-G0125	- <b>G0125</b> 34-632, 34-662, 49-432, 49-432, 49-432Z		GOLD / BROWN				
L-G0155	<b>L-G0155</b> 34-674, 45-632, 45-632Z, 55-332, 55-332Z, 55-336		GOLD / BROWN				
L-PK130	49-445Z	130 cm	PINK / BLACK				
L-PW130	49-432, 49-432Z	130 cm	PINK / WHEAT				



- \* Chart is to be used as a guide only, it is recommended to always try on shoe for fit before purchasing
- \*\* When ordering mens styles always quote UK/AUST MEN sizing
- \*\*\* When ordering ladies styles always quote METRIC sizing

For size guide and conversion chart visit www.oliver.com.au/size\_guide

### OLIVER FOOTWEAR SIZE CONVERSION CHART\*

	UK/AUST Men**	UK/AUST LADIES***	METRIC	USA MEN	USA LADIES
	2	4	34	3	4, 41⁄2
	3	5	35	4	5, 5½
	4	6	36	5	6, 6½
	41⁄2	61⁄2	37	51⁄2	7
	5	7	38	6	71⁄2
	5½	71⁄2		61⁄2	8
	6	8	39	7	81⁄2
	61⁄2	81⁄2	40	71⁄2	9
	7	9	41	8	9½
	71⁄2	91⁄2		81⁄2	10
	8	10	42	9	101/2
	81⁄2			91⁄2	11
	9		43	10	
	91⁄2			101/2	
	10		44	11	
	10½		45	11½	
	11		46	12	
	12		47	13	
	13		48	14	
	14		49	15	
	15		50	16	
	16		51	17	
	17		52	18	



## **MANUFACTURER'S WARRANTY**

Oliver stands for quality, comfort and protection. That's why our safety footwear is backed by a 6 month Manufacturers warranty... the Oliver Promise. Oliver leather safety shoes and boots are warranted for six (6) months from the date of purchase against defective workmanship and/or materials when used under normal conditions for the purpose intended. The warranty is void if in the opinion of Oliver that the product has been misused or subject to excessive wear and tear including

exposure to chemicals, cement, lime or heat

if the footwear has not been designed to be used in these environments.

As a requirement of this warranty the purchaser must present the footwear and provide evidence of purchase. Please return the footwear to the place of purchase. The footwear will then be returned to Oliver for inspection by an authorized Oliver employee. If the footwear is defective they will be repaired and returned where possible, otherwise replacement footwear will be provided by Oliver. This warranty is in addition to, and does not limit consumer's statutory rights.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

## FOOTWEAR SELECTOR

\$P.



## THE OLIVER PROMISE

#### **COMFORT**

Oliver guarantee total comfort. From our energy absorbing soling technology to removable **COMFORT***cushion*® PORON/PU footbeds and leather uppers, Oliver delivers superior comfort with every step you take.

#### PERFORMANCE

Oliver provides total-foot support and superior stability which not only keeps you safe at work but comfortable all day long.

#### DURABILITY

Oliver boots and shoes are built to last with tough, quality materials and a construction that protects your feet from hazards all year round.



FOOTWEAR SELECTOR



